

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	67	(pam near3 signal) same (benefit or advantage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 09:25
L2	52	((pam with signal) same (benefit or advantage)) not 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 09:55
L4	1	"6825696".pn. and clock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 10:21
L5	542	(transistor\$1 with pair) same ((adjustable or variable) with resist\$4) same load same (current with source\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 10:23
L7	150	5 same differential	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 10:24
L8	3	7 and PAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 10:25
L9	147	7 not 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 10:30
L10	0	9 and (multi near2 level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 10:25

EAST Search History

L11	97	9 and (pair with current with source\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 11:23
L12	885	(variable resistor) with (advantage or benefit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 11:24
L13	913	(variable resistor) with (advantage or benefit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:23
L14	0	13 and pam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 11:24
L15	25	((adjustable or variable) near3 voltage near3 source) same (pair near4 transistor\$1) same load same (current near4 source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 13:59
L17	1	10/673677	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 16:07
L18	2217	375/316,353,136.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 16:17
L19	125	18 and PAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 16:17

EAST Search History

L20	17	19 and (MSB or (most near2 significant near2 bit)) and (LSB or (least near2 significant near2 bit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 16:28
L21	4525	327/336,319,333,57,65,69,70,336,344,208,319.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 16:29
L22	8	21 and (PAM or (pulse near2 amplitude near2 modulation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/11 16:29
S4	22690	pam or (pulse near3 amplitude near3 modulation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/08 10:27
S5	77	S4 and (differential with pam with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/08 10:28
S6	24	S5 and (msb or (most near3 significant near3 bit)) and (LSB or (least near3 significant near3 bit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/08 11:03
S7	2	"6965262".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/08 11:07
S8	5492	circuit and PAM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/08 11:08

EAST Search History

S9	378	S8 and (reference near3 signal) and differential	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/08 11:08
S11	96	S9 and msb and lsb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/08 11:12
S13	0	(ici with (memory or stor\$3 or register or table or ram)) and (dmt or ?dsl or (multi near3 carrier) or ofdm) and reciever	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/08 11:15
S14	1	((ici or interference) with (memory or stor\$3 or register or table or ram)) and (dmt or ?dsl or (multi near3 carrier) or ofdm) and reciever	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/08 11:16
S15	15	((ici or interference) with (memory or stor\$3 or register or table or ram)) and reciever	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/08 11:25
S16	18	09/478916	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/08 12:04
S17	84	(zerbe and Jared).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/08 13:53
S18	52	(zerbe and Jared).in. and (Rambus).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/08 13:54

EAST Search History

S19	83	(zerbe).in. and (Rambus).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/08 15:09
S20	31	S19 not S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/08 13:58
S21	0	"60494561".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/08 14:03
S25	505	(multi near2 level) and (pam or (pulse near3 amplitude near3 modualt\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/08 14:08
S26	119	S25 and (msb or (most near3 significant near3 bit)) and (lsb or (least near3 significant near3 bit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/08 15:08
S31	43	zerbe.in. and pam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/08 15:11
S32	2	"7042858".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/08 15:59
S33	2	"6396329".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/08 16:00

EAST Search History

S34	320	(multi near3 level near3 signal) and circuit and (LSB or (least significant bit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/08 16:24
S35	161	S34 and (different\$3 near2 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/08 16:25
S36	14	S35 and combiner	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/08 16:25
S37	95	S35 and (combiner or (adder))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 07:31
S38	124	(pair with transistor\$1) same (load\$3) same (combiner or adder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 08:08
S39	12	S38 same (differential with input)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 07:42
S40	861	(pair with transistor\$1) same (load\$3) same (current near2 sources) same (differential near3 input)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 08:09
S41	330	((first or second) with pair with transistor\$1) same (load\$3) same (current near2 sources) same (differential near3 input)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 08:12

EAST Search History

S42	2	"6424194".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 08:13
S43	2	"6614371".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 09:08
S44	1	10/673677	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 09:08
S45	1	S44 and (nonlinear near3 load)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 09:14
S46	1693	non near1 linear near2 load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 09:14
S47	1006	nonlinear near2 load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 09:14
S48	382	S47 and transistor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 09:15
S49	250	S48 and switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 09:15

EAST Search History

S50	175	S48 and (switch same transistor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 09:17
S51	5	(pair with transistor\$1) same ((nonlinear or (non near1 linear)) near2 load) same switch\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 09:28
S52	0	(adjustable near2 resistor\$1) same transistor same differential same load same (current near2 source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 09:42
S53	0	(adjustable with resistor\$1) same transistor same differential same load same (current near2 source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 09:42
S54	0	(adjustable with voltage) same transistor same differential same load same (current near2 source)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 09:46
S55	2	(differential near2 amplifier) same (differential near2 (AGC or (automatic near2 gain near2 control))) same (sampler near2 circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 10:10
S56	1	(differential near2 amplifier) same (offset with voltage with source) same (sampler)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 10:13
S57	9	(differential near2 amplifier) same (AGC or (automatic with gain with control)) same (sampler)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 10:24

EAST Search History

S58	1527	(differential near2 amplifier) same (AGC or (automatic with gain with control)) not S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 10:35
S59	179	((first or second) near3 differential near2 amplifier) same (AGC or (automatic with gain with control)) not S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 10:25
S60	3	S59 and (PAM or (multi near1 level))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 10:29
S61	176	S59 not S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 10:29
S62	1310	(differential near2 amplifier) same (AGC or (differential with automatic with gain with control)) not S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 10:35
S63	480	(differential near2 amplifier) same ((differential near2 AGC) or (differential with automatic with gain with control)) not S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 10:37
S64	147	(differential near2 amplifier) same ((differential near2 AGC) or (differential near3 automatic near3 gain near3 control)) not S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 11:01
S65	6	(differential near2 amplifier) same ((differential near2 AGC) or (differential near3 automatic near3 gain near3 control)) same (sampl\$3 near2 circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 11:50

EAST Search History

S66	2	differential near2 multi near2 PAM near2 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 11:51
S67	12	differential near2 PAM near2 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 13:05
S68	42	multi near2 PAM near2 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 13:20
S69	2	(multi near2 PAM near2 signal) with differential	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 11:57
S70	2	09/953514	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 11:58
S71	2	differential near2 PAM near2 input	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 13:05
S74	29	differential near2 (multi near level) near2 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 14:10
S75	1	10/415223	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 14:18

EAST Search History

S76	0	09/742250 and (differential with pam with signal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 14:22
S77	1640	341/50.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 14:55
S78	5	combiner same sampler same differential	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 15:09
S79	29	pam with signal with advantage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 15:27
S81	4	pam with signal with benefit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/09 15:32